## Serial No. 13373 APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA Date of first receipt and filing in State Engineer's office MAY 1 1 1950 Returned to applicant for correction\_\_\_\_\_ Corrected application filed The undersigned FRANK A. and ANNA SAGSTETTER and MARY AGNES OLSON 21 Gass Ave., Las Vegas , County of \_\_\_\_\_ Nevada \_\_\_\_, hereby make\_\_application for state of\_ permission to appropriate the public waters of the State of Nevada, as pereinafter stated. (If applicant is a corporation, give date and place of incorporation.)\_\_\_\_ The source of the proposed appropriation is an underground source Name of stream, lake, or other source 0.10 The amount of water applied for is\_ $\_\mathtt{second}\mathtt{-feet}$ . One second-foot equals 40 miners' inches The water to be used for QUASI-MUNICIPAL & DOMESTIC The water is to be diverted from its source at the following point: At a point in the SEZ NWZ of Section 1, T. 21 S., R. 61 E., M.D.B. CM. and at a point from which the West 1/4 Corner of said Section 1 ibe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it should be so stated. ears S. 82° 23' 30" W. a distance of 2388.3 feet. IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION: Number of acres to be irrigated is... b) so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. (c) Use will begin about and end about , of each year. IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION: (d) Power to be developed is\_ horsepower Portions of the SE<sup>1</sup>/<sub>4</sub> of NW<sup>1</sup>/<sub>4</sub> and SW<sup>1</sup>/<sub>4</sub> of NE<sup>1</sup>/<sub>4</sub>, (e) Place of use Section 1, T. 21 S., R. 61 E., M.D.B.&M. Give location of place of use by legal subdivision (f) Point of return of water to stream\_\_\_\_ Describe in same manner as point of diversion State number and kinds of animals to be watered (g)

Use will begin about Jan. 1 and end about Dec. 31, of each year.

(i) \_\_Remarks\_

## DESCRIPTION OF PROPOSED WORKS

1 !	Water will be diverted by a drilled well and distributed  State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water		
H	by a system of Pipe lines.	'	
!   ! !	is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.		
11			
: <u>; ;</u> 1 1			1
5 .	Estimated cost of works \$3,000.	· .	
	Estimated time required to construct works 2 years		ŀ
•	RemarksFor use of applicant		;
· ·			
:-		<del></del> :	
R.	ANK A. and ANNA SACSTETTER d MARY AGNES OLSON , Applicant.	<del>-</del>	:
:	By Frank A. Sagstetter	•	
	mpared AT-LM		
, ,			
h: ا	is sheet inspected		
1	, Engineer.	-	1
1.	APPROVAL OF STATE ENGINEER	,	
!	This is to certify that I have examined the foregoing application	n,	
ņ	d do hereby grant the same, subject to the following limitations and		:
. !			١,
01	nditions:		
e ve	This permit is issued subject to all existing rights on tarce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the world in permittees well at any level higher than that necessary for a sonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water in granted at any and all times.	to vate a nat Act	e
ve	This permit is issued subject to all existing rights on tarce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the world in permittees well at any level higher than that necessary for a sonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water	to vate a nat Act	e
ve	This permit is issued subject to all existing rights on tarce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the vel in permittees well at any level higher than that necessary for a sonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water in granted at any and all times.	to vate a nat Act	e
e ver	This permit is issued subject to all existing rights on tarce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the world in permittees well at any level higher than that necessary for a sonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water in granted at any and all times.  This permit is issued subject to all existing rights on the water to be appropriated shall be limited to the amount of water to be appropriated shall be limited to the amount	to vate a nat Act	e
e ver	This permit is issued subject to all existing rights on tarce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the world in permittees well at any level higher than that necessary for a sonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water in granted at any and all times.  This source must be appropriated shall be limited to the amount of water to be appropriated shall be limited to the amount ich can be applied to beneficial use, and not to exceed 0.05	to nate anat Act er	e
he he	This permit is issued subject to all existing rights on it arce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the waste in permittees well at any level higher than that necessary for a sonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water in granted at any and all times.  This permit is issued subject to all existing rights on it is a serious and maintained and a serious the water to be appropriated shall be limited to the amount ich can be applied to beneficial use, and not to exceed 0.05 bic feet per second.	to vate a nat Act er	e
ve v	This permit is issued subject to all existing rights on tarce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the vel in permittees well at any level higher than that necessary for a sonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water granted at any and all times.  This is a subject to maintain the velocity of the water of the underground water to be appropriated shall be limited to the amount ich can be applied to beneficial use, and not to exceed 0.05 bic feet per second.  This is a subject to all existing rights on the construction work shall begin on or before February 15, 1951	to vate a nat Act	e
	This permit is issued subject to all existing rights on to arce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the vel in permittees well at any level higher than that necessary for a sonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water of granted at any and all times.  This permit is issued subject to all existing rights on the installed and maintained average.  The grant is issued subject to all existing rights on the installed and maintained average.  This permit is issued subject to all existing rights on the installed and maintained average.  This permit is issued subject to all existing rights on the installed and maintained average.  This permit is issued subject to all existing rights on the maintain the vertical waste in permit to maintain the vertical waste higher that necessary for a sonable permit to maintain the vertical waste in permit to maintain the	to vate a nat Act	e
ve este este este este este este este es	This permit is issued subject to all existing rights on to arce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the vel in permittees well at any level higher than that necessary for asonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water granted at any and all times.  The amount of water to be appropriated shall be limited to the amount ich can be applied to beneficial use, and not to exceed 0.05 bic feet per second.  The true construction work shall begin on or before February 15, 1951 oof of commencement of work shall be filed before March 15, 1951 or when the completed on the completed on the completed on the completed of the completed on the completed of the completed on the completed of the complete o	to vate a nat Act	e
he room	This permit is issued subject to all existing rights on the core. If well is flowing, a valve must be installed and maintained execut waste. No right is given under this permit to maintain the vel in permittees well at any level higher than that necessary for asonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water granted at any and all times.  The amount of water to be appropriated shall be limited to the amount ich can be applied to beneficial use, and not to exceed 0.05  This source is located within an area design or before February 15, 1951  This source is located within an area design or before February 15, 1951  The control of water to be appropriated shall be limited to the amount of the control of the water of	to vate a nat Act	e
h: view h: vie	This permit is issued subject to all existing rights on parce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the vel in permittees well at any level higher than that necessary for a sonable pumping lift. This source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water erefore the State reserves the right to regulate the use of the water of granted at any and all times.  This permit is issued subject to mist to maintained to make the use in permit to maintained the with the source is located within an area design the State Engineer pursuant to Section 4 of the Underground Water the state reserves the right to regulate the use of the water in granted at any and all times.  The amount of water to be appropriated shall be limited to the amount in the can be applied to beneficial use, and not to exceed 0.05  This permit is given under this permit to maintained the water is located with any level in the state of the Underground Water to be amount of water to be appropriated shall be limited to the amount in the case of the water is located with any level in the state of the underground water to be appropriated shall be limited to the amount in the water is located with any level in the underground water is located with any level in the underground water is located within any level higher than the water is located within any level higher than the water is located within any level higher than the water is located within any level higher than the water is located within any level higher than the water is located within any level higher than that the water is located within any level higher than that the water is located within any level higher than that the water is located within any level higher than that necessary for any level higher than the water is located within any level higher than that necessary for any level higher than the water is located within any level higher than that necessary fore	to vate a constant or	e
by the second of	This permit is issued subject to all existing rights on a cree. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to meintain the vel in permittees well at any level higher than that necessary for asonable pumping lift. This source is located within an area designated the State Engineer pursuant to Section 4 of the Underground Water refore the State reserves the right to regulate the use of the water in granted at any and all times.  The end of water to be appropriated shall be limited to the amount of the end of the water to be appropriated shall be limited to the amount of the end	rate a ra	e
The second secon	This permit is issued subject to all existing rights on the care. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the vel in permittees well at any level higher than that necessary for asonable pumping lift. This source is located within an area designed the State Engineer pursuant to Section 4 of the Underground Water refore the State reserves the right to regulate the use of the water granted at any and all times.  The end of water to be appropriated shall be limited to the amount ich can be applied to beneficial use, and not to exceed 0.05  The feet per second.  The feet per second.  The feet per second with reasonable diligence and be completed on fore February 15, 1951  The must be prosecuted with reasonable diligence and be completed on fore February 15, 1952  The polication of water to beneficial use shall be made on or before per per second of the application of water to beneficial use shall be made on or before per per second.  The first MAY 12 1950  The must be filed with State Engineer on or before March 15, 1953  The may 12 1950  The supplementation of water to beneficial use shall be made on or before must be filed with State Engineer on or before March 15, 1953  The may 12 1950  The supplementation of water to beneficial use shall be made on or before must be filed with State Engineer on or before March 15, 1953  The supplementation of water to water to beneficial use shall be made on or before must be filed with State Engineer on or before March 15, 1953	rate a correct or	e
oree West of the control of the cont	This permit is issued subject to all existing rights on the conce. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the well in permittees well at any level higher than that necessary for asonable pumping lift. This source is located within an area designated by the state Engineer pursuant to Section 4 of the Underground Water exercise the State reserves the right to regulate the use of the water in granted at any and all times.  The amount of water to be appropriated shall be limited to the amount ich can be applied to beneficial use, and not to exceed 0.05 bic feet per second.  The feet per second is the filed before march 15, 1951 of commencement of work shall be filed before march 15, 1951 of of commencement of work shall be filed before march 15, 1951 of of completion of work shall be filed before march 15, 1952 of of completion of work shall be filed before march 15, 1952 of of completion of water to beneficial use shall be made on or before plication of water to beneficial use shall be made on or before must be filed with State Engineer on or before march 15, 1953 of commencement of work filed FEB 1 5 1950 of Completion of work filed FEB 1 5 1952	rate a correct or	e
heer collections of the collection of the collec	This permit is issued subject to all existing rights on the care. If well is flowing, a valve must be installed and maintained event waste. No right is given under this permit to maintain the vel in permittees well at any level higher than that necessary for asonable pumping lift. This source is located within an area designed the State Engineer pursuant to Section 4 of the Underground Water refore the State reserves the right to regulate the use of the water granted at any and all times.  The end of water to be appropriated shall be limited to the amount ich can be applied to beneficial use, and not to exceed 0.05  The feet per second.  The feet per second.  The feet per second with reasonable diligence and be completed on fore February 15, 1951  The must be prosecuted with reasonable diligence and be completed on fore February 15, 1952  The polication of water to beneficial use shall be made on or before per per second of the application of water to beneficial use shall be made on or before per per second.  The first MAY 12 1950  The must be filed with State Engineer on or before March 15, 1953  The may 12 1950  The supplementation of water to beneficial use shall be made on or before must be filed with State Engineer on or before March 15, 1953  The may 12 1950  The supplementation of water to beneficial use shall be made on or before must be filed with State Engineer on or before March 15, 1953  The supplementation of water to water to beneficial use shall be made on or before must be filed with State Engineer on or before March 15, 1953	rate a correct or	e